

## STATE OF ILLINOIS

## ILLINOIS COMMERCE COMMISSION

ILLINOIS INDEPENDENT TELEPHONE  
ASSOCIATION

Petition for initiation of an investigation of the necessity of and the establishment of a Universal Service Support Fund in accordance with §13-301(d) of the Public Utilities Act

## Illinois Commerce Commission On Its Own

Investigation into the necessity of and, if appropriate, the establishment of a Universal Support Fund pursuant to Section 13-301(d) of the Public Utilities Act.

Docket No. 00-0233

Docket No. 00-0335

CHIEF CLERK'S OFFICE

3 23 PM '70  
JUN 20

100

## DIRECT TESTIMONY

OF

GORDON J. KRAUT, JR.

ON BEHALF OF

ALHAMBRA-GRANTFORK TELEPHONE COMPANY

April 20, 2001

GENERAL FREE

III. C. 2234/6335  
Alhambra-Grantford  
Telephone Co. 1

Date 6-19-01 Reporter CB

1 **Q. Please state your name and business address.**

2 A. My name is Gordon J. Kraut, Jr. and my business address is 3220 Pleasant Run,  
3 Springfield, Illinois 62707.

4 **Q. By whom are you employed?**

5 A. I am the consulting manager with GVNW Consulting, Inc. GVNW Consulting, Inc.'s  
6 principal business is telecommunications consulting for small independent telephone  
7 companies and we have provided consulting services to Alhambra-Grantfork  
8 Telephone Company for several years.

9 **Q. Please describe your educational background.**

10 A. I graduated from Edgewood College in May of 1988 with a Bachelor of Science  
11 Degree in business with an emphasis in accounting. I earned a master's in business  
12 administration from Edgewood College in 1991.

13 **Q. Please provide your background in telecommunications.**

14 A. In 1988 I began my telecommunications career with TDS, Inc. as an internal auditor.  
15 In 1993 I was promoted to Senior Internal Auditor and in 1994 I was promoted to  
16 Associate Manager of Accounting in TDS Telcom. Early in 1996 I was promoted to  
17 the position of Manager of Revenue and Earnings in the Government and Regulatory  
18 Affairs Group. I joined GVNW, Inc. on October 20, 1997 and in my current position  
19 I consult with independent telephone companies and provide financial analysis and  
20 management advice in the areas of concern to these companies.

21 **Q. On what company's behalf is this testimony submitted?**

22 A. This testimony is submitted on behalf of Alhambra-Grantfork Telephone Company.

1 **Q. Have you prepared the Illinois Universal Service funding calculations for**  
2 **Alhambra-Grantfork Telephone Company using the format agreed to by the**  
3 **Staff and the IITA?**

4 **A. Yes, I have. It is attached as Alhambra-Grantfork Telephone Company Exhibit 1,**  
5 **Schedule 1.01 and consists of 3 pages.**

6 **Q. Did you complete Alhambra-Grantfork Telephone Company Exhibit 1, Schedule**  
7 **1.01 in accordance with the instructions and based on Alhambra-Grantfork**  
8 **Telephone Company's ICC Form 23A or other information filed with the**  
9 **Commission for the year ended December 31, 2000?**

10 **A. Yes. Alhambra-Grantfork Telephone Company Exhibit 1, Schedule 1.01, was based**  
11 **on the ICC Form 23A filed with the Commission.**

12 **Q. Were these entries on Exhibit 1, Schedule 1.01 taken from books and records**  
13 **kept by the company in the normal course of its business and recorded at the**  
14 **time of the event?**

15 **A. Yes.**

16 **Q. Is Alhambra-Grantfork Telephone Company Exhibit 1, Schedule 1.01 true and**  
17 **correct to the best of your knowledge, information and belief?**

18 **A. Yes it is.**

19 **Q. Based on the responses and content of Alhambra-Grantfork Telephone**  
20 **Company Exhibit 1, Schedule 1.01, has Alhambra-Grantfork Telephone**  
21 **Company provided Staff with certain additional documents?**

1 A. Yes. I have provided the Staff with a copy of Alhambra-Grantfork Telephone  
2 Company's December 31, 2000, Trial Balance which we have requested be treated as  
3 confidential and proprietary.

4 **Q. Have you provided the requisite information from Alhambra-Grantfork**  
5 **Telephone Company Exhibit 1, Schedule 1.01 to Mr. Schoonmaker for his use in**  
6 **compiling the composite results for all companies seeking funding in connection**  
7 **with his testimony?**

8 A. Yes, I have.

9 **Q. Does page 1 of Alhambra-Grantfork Telephone Company Exhibit 1, Schedule**  
10 **1.01 reflect any adjustments being proposed by Alhambra-Grantfork Telephone**  
11 **Company?**

12 A. Yes. I have made two (2) standard adjustments on Alhambra-Grantfork Telephone  
13 Company Exhibit 1. These adjustments are summarized in Schedule 1.02.

14 The first adjustment on line 1 is standard adjustment #4 as listed in Robert C.  
15 Schoonmaker's testimony to include two significant plant investment changes. These  
16 additions result in an increase to rate base of \$226,879. This represents two  
17 construction projects that will be in place in 2001. The first project is new cable used  
18 to serve the Grantfork exchange for \$157,729. The second is a major switch upgrade  
19 to offer toll management features and voice announcement features.

20 **Q. Please explain the two construction projects.**

21 A. The Grantfork Exchange South Cable project which started on April 4, 2001, involves  
22 the placement of underground cable. The company has already purchased cable and

1 supplies totaling \$74,936.45 and has a manhole on order from Hartford Concrete  
2 Products in the amount of \$3,470.50. Splicing for this project is estimated at \$6,000  
3 and engineering expenses are estimated at \$10,000. Communications Engineers, Inc.  
4 in Springfield, Illinois is the engineer that is presently working on this project.

5 **Q. Is there a contractor who has been hired to perform this job?**

6 A. Yes. Utility Contracting Company entered into a contract with the phone company  
7 for this project on February 28, 2001.

8 **Q. Let me hand you Alhambra-Grantfork Telephone Company Exhibit 1, Schedule**  
9 **1.03 and ask you to identify it.**

10 A. This is a true and accurate copy of the contract for the buried cable project. It  
11 contains numerous specifications for the underground wiring project and as shown on  
12 the contract it is anticipated that the expense will be \$69,322. The contract calls for a  
13 maximum amount of \$70,000.

14 **Q. You made reference to a major switch upgrade offering toll management**  
15 **features and voice announcement features. Can you explain?**

16 A. Yes. The company has entered into an agreement with Innovative Systems, L.L.C.in  
17 to provide various voice mail, announcement capability and toll control upgrades.  
18 The cost will be \$50,235. The company will need additional software and a DS-1  
19 module to interface with its switch for these features. The company will purchase  
20 that equipment at an anticipated cost of approximately \$16,415.

21 **Q. Did you make any other adjustments to Alhambra-Grantfork Telephone**  
22 **Company, Exhibit 1, Schedule 1.01?**

1 A. Yes. The second adjustment is on Alhambra-Grantfork Telephone Company Exhibit  
2 1, Schedule 1.01, line 14 and was made is for a true up in 1999 Carrier Common Line  
3 (CCL) Revenues that Alhambra-Grantfork Telephone Company recorded in 2000  
4 financial statements. This is listed as standard adjustment #3 in Robert C.  
5 Schoonmaker's testimony for out-of-period adjustments. Alhambra-Grantfork  
6 Telephone Company received \$112,620 in CCL funding in 1999 based on projections  
7 filed with the National Exchange Carrier Association in 1999. Alhambra-Grantfork's  
8 1999 cost study, completed in July 2000, showed a CCL Revenue Requirement of  
9 119,986. This results in a \$7,366 true up of 1999 CCL Revenue that was booked in  
10 2000 revenue. This adjustment removes the \$7,366 of 1999 revenue booked in 2000.

11 **Q. Based on the format agreed to by the Staff and the IITA, what was Alhambra-**  
12 **Grantfork Telephone Company's rate of return for the calendar year 2000?**

13 A. 10.24%.

14 **Q. Does Alhambra-Grantfork Telephone Company concur with Mr.**  
15 **Schoonmaker's recommendation that its affordable rate be established at the**  
16 **current weighted average rate for residential and business service?**

17 A. Yes.

18 **Q. Does that conclude your direct testimony on behalf of Alhambra-Grantfork**  
19 **Telephone Company?**

20 A. Yes it does.

**Alhambra-Grantfork Telephone Company**  
**Illinois Universal Service Funding Calculation**  
Based upon ICC Form 23A Report Data for December 31, 2000

<u>Line #</u>	<u>Description</u>	<u>Source</u>	<u>Amount</u>	<u>Adjustment</u>	<u>Adjusted Amount</u>
1	Net Regulated Plant	Form 23A, P 8, Net Plant	\$ 1,116,208	\$ 226,879	\$ 1,343,087
2	Materials and Supplies Inventory	Page 2, 13-Month Average	26,942		26,942
3	Customer Deposits	Form 23A, P 8, 4040	6,677	-	6,677
4	ADIT - Regulated Plant	Form 23A, P 8, 4100 + 4340	96,878	-	96,878
5	Rate Base before Working Capital	line 1 + line 2 - line 3 - line 4			1,266,474
6	Working Capital Requirement				
7	Total Operating Expenses	Form 23A, P 14, Total	892,204	-	892,204
8	Less: Depreciation Expense	Form 23A, P 13, 6560	214,165	-	214,165
9	Total WC Operating Expense	line 7 - line 8	678,039	-	678,039
10	WC OE Requirement	line 9 * 45 / 360			84,755
11	Commission-Ordered Cash Balance Requirement		-	-	-
12	Total Working Capital Requirement	line 10 + line 11			84,755
13	Total Rate Base	line 5 + line 12			1,351,229
14	Total Operating Revenues	Form 23A, P 11, Total	1,451,312	(7,366)	1,443,946
15	Less: Illinois High Cost Fund		311,199	-	311,199
16	Net Operating Revenues	line 14 - line 15	1,140,113	(7,366)	1,132,747
17	Total Operating Expenses	Form 23A, P 14, Total	892,204	-	892,204
18	Other Operating Inc and Exp - Net	Form 23A, P 15, 7100	-	-	-
19	Other Operating Taxes	Form 23A, P 15, 7240	14,689	-	14,689
20	Net Op Inc before Income Taxes	line 16 - lines 17, 18, & 19	233,220	(7,366)	225,854
21	Income Tax Expense	line 34			87,493
22	Net Operating Income	line 20 - line 21			138,361
23	Return on Rate Base	line 22 / line 13			10.24%
24	After-tax Cost of Capital				11.21%
25	Target Net Operating Income	line 24 * line 13			151,473
26	Adj to Achieve Target Return on RB	line 25 - line 22			13,112
27	Gross Revenue Conversion Factor	line 35			1.6324
28	ROR Funding Deficiency Including Inc Taxes	line 26 * line 27			21,404
29	Calculation of Income Tax Expense				
30	Net Op Inc before Inc Taxes	line 20			225,854
31	Illinois Inc & Rep Tax Expense	line 30 * 7.18%			16,216
32	Net Op Inc before Fed Inc Tax	line 30 - line 31			209,638
33	Federal Income Tax Expense	line 32 * 34.00%			71,277
34	Total Imputed Income Tax Expense	line 31 + line 33			87,493
35	Gross Revenue Conversion Factor	1 / ((1 - .0718) * (1 - .34))			1.6324

Alhambra-Grantfork Telephone Company  
Illinois Universal Service Funding Calculation  
Based upon ICC Form 23A Report Data for December 31, 2000  
Material & Supplies Worksheet and Other Information

Line #

1	December-99	\$27,301
2	January-00	\$27,301
3	February-00	\$27,301
4	March-00	\$27,301
5	April-00	\$27,301
6	May-00	\$27,301
7	June-00	\$22,450
8	July-00	\$22,450
9	August-00	\$22,450
10	September-00	\$30,596
11	October-00	\$30,596
12	November-00	\$30,596
13	December-00	\$27,301
14	13 Month Average	\$26,942

Sale/Lease Back Arrangement

☒  
☐

The company does not have any sale(s)/lease back arrangement.  
The company does have sale(s)/lease back arrangement and has provided additional information to staff.

Lease Agreement with Affiliates

☒  
☐

The company does not have any lease agreements with affiliates.  
The company does have lease agreements with affiliates and has provided additional information to staff.

Trial Balances

The Company has provided a copy of its 12/31/2000 trial balance in support of the attached exhibits.

Alhambra-Grantfork Telephone Company  
 Illinois Universal Service Funding Calculation  
 Based upon ICC Form 23A Report Data for December 31, 2000  
 Operating Revenues By Category

<u>Line #</u>		<u>Source</u>	<u>Amount</u>
		Form 23A, P 10, Total Local	
1	Local Revenues	Network Service Revenues	\$ 277,914
2	State Subscriber Line Charges	Trial Balance 12/31/00	
3	State Access Revenues	Trial Balance 12/31/00	\$ 263,759
4	State High Cost Support	Exhibit X, Line 15	\$ 314,143
5	State Special Access Revenues	Trial Balance 12/31/00	\$ 12,949
6	Total State Access & Local Revenues	Sum (Ln 1 - 5)	\$ 868,765
7	Federal Subscriber Lines Charges	Trial Balance 12/31/00	\$ 54,861
8	Federal Access Revenues	Trial Balance 12/31/00	\$ 249,497
9	Federal High Cost Support	Trial Balance 12/31/00	\$ 184,923
10	Federal Special Access Revenues	Trial Balance 12/31/00	\$ -
11	Total Federal Access Revenues	Sum (Ln 7 - 10)	\$ 489,281
12	Misc Revenues	Trial Balance 12/31/00	\$ 93,266
13	Total Operating Revenues	Ln 6 + Ln 11 + Ln 12	<u>\$ 1,451,312</u>

Alhambra-Grantfork Telephone Company  
Summary of Adjustments

	Dr.	Cr.
--	-----	-----

1999 Projected CCL Revenue Req.	112,620	
1999 Final CCL Revenue Req.	<u>119,986</u>	
1999 True-up booked in 2000	7,366	

Out of Period Revenue Adjustments	7,366	
-----------------------------------	-------	--

Adjustment to record true-up in CCL revenues booked in 2000.

Adjustment 4

Rebuild of OSP & COE Investment	226,879	
---------------------------------	---------	--

Alhambra-Grantfork  
Telephone Company

# Miscellaneous Construction Work and Maintenance Services Contract

Contract Form 773NRUS  
June 1998

Telephone Company: Alhambra-Grantfork Telephone Company

Telephone Company Designation: IL526

Contractor: Utility Contracting Company

Contract No.: 2003-01-G

Contract Date: January 24, 2001

Contract Amount: \$ 70,000.00

# **MISCELLANEOUS CONSTRUCTION WORK AND MAINTENANCE SERVICES CONTRACT**

## **SECTION I**

W.O. Number 2003-01-G (Enter this number on all attachments, invoices and related correspondence.)

This Contract is entered into this 24th day of January, 2001 between \_\_\_\_\_

\_\_\_\_\_ Utility Contracting Company

(Hereinafter called "Contractor"). (Contractors' License No.) N/A

Issuance State N/A Expiration Date N/A

of, 5000 Business 50 W

(Mailing Address)

Jefferson City ; Missouri 65109  
(City) (State) (Zip)

and, Alhambra-Grantfork Telephone Company  
(Hereinafter called "Owner").

## **PROJECT**

**1. Description of work:**

Provide construction for a new copper cable to service Grantforks south exchange area.  
In addition, an entrance is to be provided into the central office to facilitate the new cable  
and this project will include a manhole with conduit placement.

(Hereinafter called the "Project"). \_\_\_\_\_

Indicate if drawings, specifications, or other further description is attached and made part of this agreement:  
(Check One) NO \_\_\_\_\_ YES X (See Attachment A.)

2. Project is for: (Check One) Construction X Maintenance \_\_\_\_\_

3. Evidence of insurance is required (See Section III).

4. The Owner will furnish material? (Check One) NO \_\_\_\_\_ YES X (See Attachment C and D)

5. All work on this Contract will be performed in the Owner's exchange(s) of Grantfork  
\_\_\_\_\_ located in Madison County Illinois

6. The method of payment for performance shall be:  
(Specify rate[s])

Hourly basis \_\_\_\_\_

Lump-Sum (Explain as necessary) \_\_\_\_\_

Unit basis (Describe unit[s]) Labor Only for the following units: BD, BFC, BM, PM, UFC, XX,  
4" duct, including bends and sweeps and manhole, including frame and cover.

**NO PAYMENT SHALL BE DUE UNDER THIS AGREEMENT WHILE THE CONTRACTOR IS IN DEFAULT OF ANY PROVISION HEREOF.**

7. The maximum amount of this Contract shall be \$ 70,000.00 . Payment shall be due and payable in accordance with the following schedule:  
By weekly tab sheets submitted and invoicing prepared for payments due within 30 days of receipt.

A 10% retainage will be held until final inspection and cleanup are satisfactory to the Owner.

Invoices are to be submitted to:

Michael S. Freeman  
C/o Communications Engineers, Inc.  
3015 Stanton Ave.  
Springfield, IL 62703

**A DULY EXECUTED FORM 743NRUS, CERTIFICATE OF CONTRACTOR AND INDEMNITY AGREEMENT, SHALL ACCOMPANY THE FINAL INVOICE. (A COPY IS ATTACHED AND TO BE REMOVED FROM CONTRACT AND RETAINED FOR SUBMISSION WITH FINAL INVOICE.)**

8. The Contractor shall begin performance of this Contract no later than April 2, 2001 and shall complete performance no later than April 27, 2001 which totals 20 construction days excluding Saturdays, Sundays, holidays and automatic time extensions for bad weather days.
9. A time extension will be granted for delays beyond the control of the contractor. The contractor must request the time extension in writing within two weeks of the event that causes the delay.
10. Liquidated damages in the amount of Five hundred dollars (\$500.00) per day for time extending beyond the completion date, including approved time extensions, will be deducted from any moneys due the contractor for final payment.

## SECTION II - GENERAL PROVISIONS

1. Notification of Injury or Damage: The Contractor shall promptly notify the Owner of any injury, death, loss or damage to persons, s, or property which is in any way related to the work performed under this Contract, even though such occurrence was not caused or contributed to by the Contractor or the contractor's employees and agents.
2. Withholding Of Payments: The Owner may withhold money due for portions of the Project which have been rejected by the Owner and which have not been corrected by the Contractor to the satisfaction of the Owner. The Contractor shall pay each material supplier, if any, within five (5) days after receipt of any payment from the Owner, the amount thereof allowed on account of materials furnished by each material supplier. The Owner may withhold money due for claims, which might be the subject of reimbursement to the Owner by the Contractor. If the Owner is advised that the Contractor is not promptly paying material suppliers as set out above, or if the Owner is advised that employees of the Contractor are not being promptly paid, then the Owner may withhold such money due as the Owner deems sufficient to insure the obligations incurred by the Contractor in connection with the work covered by this Contract will be paid in full.
3. Changes in Project: The Owner may make changes in the Project by altering, adding to or deducting from the Project. No change in the Contract price shall be made for minor changes not involving extra cost. All adjustments in the Contract price by reason of any other change shall be agreed to by the parties prior to commencement of the actual work in connection with such change.
4. Standards of Work: All work performed under this Contract shall conform to applicable current Rural Utilities Service (hereinafter called "RUS") standards and specifications. (See Attachment B, Attachment F and Specific construction drawings included in Attachment H.)

The Contractor shall furnish and be responsible for all supervision; labor, tools, equipment, power, transportation, material, and supplies required to perform the work, except those items specifically listed which the owner will furnish. The Contractor shall pickup and transport such material and equipment from its place of storage to the job site as needed. The Contractor shall transport and return to a place of storage designated by the Owner unused material and equipment belonging to the Owner.

5. Provisions of Materials: In the performance of this Contract there shall be used only such unmanufactured articles, materials and supplies as have been specified by the owner (See Attachment D), or are listed in the current RUS Publication 344-2 List of Materials Acceptable for Use on Telecommunications Systems of RUS Borrowers. The Contractor agrees to submit to the Owner such certificate or certificates, signed by the Contractor with respect to compliance with the foregoing provisions as requested by the owner.

The Contractor shall purchase materials and supplies outright and not subject to any conditional sales agreement, bailment lease, or other agreement reserving to the seller any right, title or interest therein.

All guarantees of materials and workmanship running in favor of the Contractor shall be transferred to the Owner on completion of construction and at such time as the Contractor receives final payment.

The Contractor shall save harmless and indemnify the Owner from any and all claims, suits, and proceedings for the infringement of any patent or patents covering any materials or equipment provided by the Contractor used in construction of the Project.

It shall be the duty of the Contractor to inspect all materials used in the performance of the work, whether or not furnished by the Owner. The Contractor shall not use any defective material in the performance of work.

The Contractor shall reimburse the Owner or shall replace at no cost to the Owner any material or property destroyed, or lost, regardless of cause, in the performance of the Contract.

6. Laws and Regulations: The Contractor shall comply with all Federal, State, and Municipal Laws, ordinances and regulations and building and construction codes applicable to the performance of the work and give all notices that may be required. If the Contractor observes that the work to be performed is at variance with any law, ordinance, or regulation or building or construction code, he shall promptly notify the Owner. The Contractor shall follow the instructions of Government officials regarding maintenance of traffic and protection of the public. The Contractor shall obtain a copy of regulations or permit requirements of the appropriate Road authorities and make all employees aware of these regulations.
7. Environmental Protection: The Contractor shall perform work in such a manner as to maximize preservation of beauty and conservation of natural resources, and minimize marring and scarring of the landscape and silting of streams. The Contractor shall not deposit trash in streams or waterways, and shall not deposit herbicides or other chemicals or their containers in or near streams, waterways or pastures. The Contractor shall follow, under the general direction of the Owner, the criteria relating to environmental protection as specified herein by the Owner.
8. Inspection of Work: The Owner may maintain inspectors at the job site, and to further assure compliance with the plans and specifications and maintain quality of construction, may, after reasonable notice to the Contractor, perform from time to time operational tests on the Project of a portion or portions thereof selected by the Owner. However, such inspectors or other employees or agents of the Owner shall not have authority to direct or advise the Contractor or his employees and agents concerning the method or manner by which the work is to be performed. The Contractor has sole authority, responsibility, and control over the method and manner by which the work is to be performed and shall remain in all respects an independent contractor.
9. Service Pipes and Underground Structures: The Contractor at the Contractor's expense shall locate any pipes, conduits or other underground structures or obstructions, including telephone facilities, which are in the way of the construction, whether or not any work plans omit to show or purport to show their locations. All such property damaged in the course of the work shall be repaired by the Contractor in a manner satisfactory to the Owner. The contractor shall utilize the services of the state locator service if it is available.
10. Duty Of Safe Performance: The Contractor shall at all times take all reasonable precautions to protect all persons and property, including property of the Owner from injury arising out of the performance of the work. The Contractor shall make such inspections, safety checks, and tests, and shall provide such equipment, personnel, and supervision as is necessary to insure the safe performance of the work.
11. Defects in Work: The Contractor shall correct at its expense all defects and deficiencies in the work which result from labor or material furnished by the Contractor, workmanship, or failure to follow plans, drawings, or other specifications made a part of this Contract which are discovered within one (1) year from the date the work is accepted. Acceptance of the work by the Owner shall not constitute a waiver or any such defects or deficiencies. The Owner shall notify the Contractor in writing of any defects and deficiencies and if the Contractor has failed to remedy or make arrangements satisfactory to the Owner to remedy such defects and deficiencies within twenty (20) days thereafter, the Owner may remedy such defects and deficiencies and the Contractor shall pay the Owner the cost of making such corrections.
12. Completion on Contractor's Default: If default shall be made by the Contractor in the performance of any of the terms of this Contract, the Owner, without in any manner limiting its legal and equitable remedies in the circumstances, may serve upon the Contractor a written notice requiring the Contractor to cause such default to be corrected forthwith. Unless within twenty (20) days after the service of such notice upon the Contractor such defaults shall be corrected or arrangements for the correction thereof satisfactory to the Owner shall be made by the Contractor, the Owner may take over the construction of the Project and prosecute the same to completion by contract or otherwise for the account and at the expense of the Contractor, and the Contractor

shall be liable to the Owner for any cost or expense in the excess of the Contract price occasioned thereby. In such event the Owner may take possession of and utilize, in completing the construction of the Project, any materials, tools, supplies, equipment, appliances, and plant belonging to the Contractor which may be situated at the site on the Project. The Owner in such contingency may exercise any rights, claims, or demands which the Contractor may have against third persons in connection with this Contract and for such purpose the Contractor does hereby assign, transfer, and set over unto the Owner all such rights, claims, and demands.

13. Indemnification: The Contractor agrees to indemnify and hold harmless the Owner from any and all claims, actions, or causes of action to the extent the claimed loss or damage arises out of the Contractor's negligent performance or nonperformance of work herein contracted to be done whether such claims, actions, or causes of action are alleged to be the results of any act or omission of the Contractor, agents, servants, employees, or any or all of them and regardless of the fact that the work may have been completed and accepted by the Owner and regardless of the fact the Contractor may have received payment for work. The Owner shall promptly notify the Contractor in writing of any such claims, actions, or causes of action and give the Contractor full opportunity and authority to assume the sole defense and settlement thereof. The Owner shall furnish to the Contractor upon request all information available to the Owner for defense against any claim, action, or cause of action. The Contractor's liability under this indemnity shall not exceed the value of the Contract except for those claims involving personal injury or tangible property damage.
14. Miscellaneous: The Contractor has made a careful examination of the site of the Project and conditions, which may affect work under this Contract.

The Contractor will build the outside plant facilities under the Contract on right-of-Way provided by the Owner including, where directed by the Owner, right-of-Way presently occupied by existing facilities of the Owner. The Contractor will use no explosive in the performance of work under this Contract without the prior written approval of the Owner. All permits necessary for the handling or use of dynamite or other explosives in connection with construction of the Project shall be obtained by and at the expense of the Contractor.

Except as otherwise agreed to by the Owner, all work shall be performed without interruption to or interference with existing telephone service,

The Contractor shall not assign this contract or any part thereof, or enter into any contract with any person, firm or corporation for performance of the Contractor's obligations hereunder, or any part of such obligations.

Note: The penalty for making false statements in offers is prescribed in 10 U.S.C. 1001.

### SECTION III - INSURANCE AND BONDS

During the Contractor's performance hereunder, the Contractor shall take out and maintain fully paid insurance and bonds as follows:

#### **INSURANCE REQUIREMENTS**

- (a) Workers' compensation and employer liability insurance, as required by law, covering all their employees whom perform any of the obligations of the contractor under the contract. If any employer or employee is not subject to the workers' compensation laws of the governing state, then insurance shall be obtained voluntarily to extend to the employer and employee coverage to the same extent as though the employer or employee were subject to the workers' compensation laws.
- (b) Public liability insurance covering all operations under the contract shall have limits for bodily injury or death of not less than \$1 million each occurrence, limits for property damage of not less than \$1 million each occurrence, and \$1 million aggregate for accidents during the policy period. A single limit of \$1 million of bodily injury and property damage is acceptable. This required insurance may be in a policy or policies of insurance, primary and excess including the umbrella or catastrophe form.
- (c) Automobile liability insurance on all motor vehicles used in connection with the contract, whether owned, nonowned, or hired, shall have limits for bodily injury or death of not less than \$1 million per person and \$1 million per occurrence, and property damage limits of \$1 million for each occurrence. This required insurance may be in a policy or policies of insurance, primary and excess including the umbrella or catastrophe form.
- (d) Owners and Contractors Protective Liability Insurance.

The Owner may at any time require public liability insurance and property damage liability insurance greater than the above. In any such event, the additional premium payable solely as the result of such additional insurance shall be added to the contract price.

Where the performance of the work involves "structural property, underground property, or blasting," the Contractor's comprehensive general liability insurance policy shall provide coverage to the insured for legal liability arising from operations under this contract for property damage (1) arising out of blasting, (2) arising out of collapse of or structural injury to any building or structure, or (3) to underground facilities and utilities.

#### **BOND REQUIREMENTS**

Construction contracts for facilities in amounts in excess of \$100,000 shall require contractors to secure a contractors' bond in a penal sum of not less than the contract price, which is the sum of all labor and materials including owner-furnished materials installed for the project. On line extension contracts under which work will be done in sections and no section will exceed a total cost of \$ 100,000, the borrower may waive the requirement for a contractors' bond.

**ACORD. CERTIFICATE OF LIABILITY INSURANCE**DATE (MM/DD/YY)  
02/19/01

PRODUCER  
Naught-Naught / Jefferson City  
1441 Christy Drive  
P O Box 1768  
Jefferson City MO 65102

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION  
ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE  
HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR  
ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

## COMPANIES AFFORDING COVERAGE

COMPANY  
A Commercial Union Insurance Co.

COMPANY  
B American Employers' Insurance

COMPANY  
C

COMPANY  
D

PHONE NO. 573-634-2727 FAX NO. 573-634-7762  
INSURED

Utility Contracting Co.  
5000 Business Hwy 50 W.  
Jefferson City MO 65109

## COVERAGES

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD  
INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS  
CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS,  
EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
A	GENERAL LIABILITY	CTE614494	04/01/00	04/01/01	GENERAL AGGREGATE \$2,000,000
	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY				PRODUCTS - COMP/OP AGG \$2,000,000
	<input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR				PERSONAL & ADV INJURY \$1,000,000
	<input type="checkbox"/> OWNERS & CONTRACTORS PROT				EACH OCCURRENCE \$1,000,000
					FIRE DAMAGE (Any one fire) \$100,000
					MED EXP (Any one person) \$5,000
A	AUTOMOBILE LIABILITY	OTAS45540	04/01/00	04/01/01	COMBINED SINGLE LIMIT \$1,000,000
	<input checked="" type="checkbox"/> ANY AUTO				BODILY INJURY (Per person) \$
	<input type="checkbox"/> ALL OWNED AUTOS				BODILY INJURY (Per accident) \$
	<input checked="" type="checkbox"/> SCHEDULED AUTOS				PROPERTY DAMAGE \$
	<input checked="" type="checkbox"/> HIRED AUTOS				
	<input checked="" type="checkbox"/> NON-OWNED AUTOS				
	GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT \$
	<input type="checkbox"/> ANY AUTO				OTHER THAN AUTO ONLY \$
					EACH ACCIDENT \$
					AGGREGATE \$
A	EXCESS LIABILITY	CUB0091372	04/01/00	04/01/01	EACH OCCURRENCE \$2,000,000
	<input checked="" type="checkbox"/> UMBRELLA FORM				AGGREGATE \$2,000,000
	<input type="checkbox"/> OTHER THAN UMBRELLA FORM				\$
B	WORKERS COMPENSATION AND EMPLOYERS LIABILITY	ATE207067	04/01/00	04/01/01	EL EACH ACCIDENT \$500,000
	<input type="checkbox"/> INCL				EL DISEASE - POLICY LIMIT \$500,000
	<input type="checkbox"/> EXCL				EL DISEASE - EA EMPLOYEE \$500,000
	OTHER				

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS

## CERTIFICATE HOLDER

ALHAMBRA


Alhambra-Grand Park Telephone

Alhambra IN 46001

## CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE  
EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL  
30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT.  
BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY  
OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE



ACORD 25-S (1/93)

ACORD CORPORATION 1988

I have read, understand, and agree to all portions of this Contact.

Utility Contracting Company

(Contractor)

By

Harry L Garrison

(Harry Garrison)

Title

President

Date

2/19/01

Alhambra-Grantfork Telephone Company

(Owner)

By

Alvin Wilkening

Title

General Manager

Date

2/28/01

## **LIST OF ATTACHMENTS**

- A. Project Description**
- B. Contract Specifications**
- C. Owner Furnished Materials**
- D. Owner Specified Materials to be Furnished by the Contractor**
- E. Summary of Construction Units**
- F. Bidder Instruction Modifications**
- G. Special Rearrangement Units**
- H. Special Assembly Unit Drawings and Guide Drawings**
- I. List of Owner's Material on Hand (including quantities and pricing)**
- J. Schedule of Acceptance Tests and Measurements**
- K. Construction Drawings**

**ATTACHMENT A****PROJECT DESCRIPTION**

This construction project consists of the following outside plant activity:

Construction of various buried copper paired cables, manhole and conduit placement, and a 1½" innerduct by the directional boring and/or plowing method. Six separate 4" ducts are to be placed at the Central Office by core drilling for placement of the innerduct and copper cable.

All boring depths will conform to the placement depth of 36" plus 12" for all road surfaces, driveways, creeks, etc.

The section of 4" duct to be placed is to appear in the bottom of all pedestals and sealed.

The Owner will be responsible for all of the pedestal stenciling, splicing and testing of the buried cables, either by their own forces or under separate contract. Any sheath faults or deficiencies in material or workmanship found during the splicing operation will be the responsibility of the Contractor that provided construction under this contract to remedy.

The Owner and/or his representative shall inspect and/or observe the following:

- 1) Trenches before back filling.
- 2) All cable damage before repair.

Any cable damaged by the Contractor shall be replaced, at his expense, within 5 working days unless the Owner approves additional delay.

All Public and Private Right-of-Ways are to be considered "Reduced and Restricted Construction Corridor". Cables placed on State Right-of-Way are required to be within eight (8) feet of the Right-of-Way line and in accordance with the appropriate State Highway Permits.

The Owner has obtained State Highway permits. Construction must conform to any of the easement requirements mentioned.

Foreign utilities, such as water, gas, electric, sewer, and telephone cables are not shown on all construction sheets and will be the responsibility of the Contractor to arrange to have located.

**ATTACHMENT B****CONTRACT SPECIFICATIONS**

The construction to be performed under this contract is not to be financed with RUS funds.

The unit descriptions and construction procedures are to conform to RUS specifications and standards for the convenience of the owner.

The following RUS specifications and drawings will become a part of this contract by reference:

☒ RUS Form 515a - Specifications and Drawings for Construction of Direct Buried Plant. (RUS Bulletin 345-150)

Dated: 5-89

☒ RUS Form 515c - Specifications and Drawings for Conduit and Manhole Construction. (RUS Bulletin 345-151)

Dated: 5-89

☒ RUS Form 515d - Specifications and Drawings for Underground Cable Installation. (RUS Bulletin 345-152)

Dated: 5-89

☐ RUS Form 515f - Specifications and Drawings for Construction of Pole Line and Aerial Cables. (RUS Bulletin 345-153)

Dated: \_\_\_\_\_

☐ RUS Form 515g - Specifications and Drawings for Service Entrance and Station Protector Installations. (RUS Bulletin 345-154)

Dated: \_\_\_\_\_

The following RUS Standards are applicable: (Engineer to insert date)

PC - 2 Dated: 2-95

PC - 4 Dated: \_\_\_\_\_

PC - 5a Dated: \_\_\_\_\_

**ATTACHMENT C**

**OWNER FURNISHED MATERIALS**

The owner will furnish all of the following items:

- 1) Copper Cable
- 2) Pedestals (including stakes and pole mount kits)
- 3) Ground Rods (including rod clamps (BM2) and split bolt connectors (BM2A))
- 4) Ground Wire Connectors (pedestal mount ALP 387)
- 5) Ground Wire (bare and insulated)
- 6) 1 1/2" Innerduct with pull ropes
- 7) Innerduct couplers
- 8) 4" Duct with sweeps and bends
- 9) Type J Manhole, including frame and cover

The owner will furnish a list of local contractors or suppliers of the following:

- 1) Asphalt
- 2) Gravel
- 3) Water
- 4) Contacts for disposal of dirt and rock

**ATTACHMENT D**

**CONTRACTOR FURNISHED MATERIAL  
(NOT APPLICABLE FOR THIS CONTRACT)**

**DISK: MSFZHARD**

**FILE: AttachmentE**

DATE: 01/18/01

**ALHAMBRA-GRANTFORK TELEPHONE COMPANY    ATTACHMENT E**  
**SOUTH RURAL CONSTRUCTION**  
**OSP CONTRACT NUMBER : 2003-01-G**

[illegible]

## ATTACHMENT F

Page 1 of 1

## BIDDER INSTRUCTION MODIFICATIONS

The following changes are applicable to the standard Form 515A:

On Page 4, change the BFC unit descriptions as follows:

Consists of one (1) foot of buried cable in place

On Page 6 and 8, add the following to the BFC description, Paragraph A (3):

Note 3: Wire fences shall be repaired by means of suitable compression sleeves.

Note 4: Mailboxes and road signs shall be removed and reset to maintain continuous straight line plowing.

On Page 10, change the following BM description:

BM2 (5/8)(8) - Consists of the necessary labor and material for the installation of a 5/8" X 8' ground rod, ground rod clamp, and the required length of a bare #6 AWG copper ground wire (placed at a depth of 12 inches) and connected to an auxiliary grounding connector, (ALP387), within the housing.

On Page 11, change the following BM descriptions:

BM2A - Consists of the necessary labor and material for the installation of the required length of a bare #6 AWG copper ground wire attached from the grounding connector of a buried plant housing to a vertical pole ground located on a power pole no more than 6 feet from the buried plant housing. This unit also includes the connection of the ground wire within the buried plant housing to the grounding connector and the connection of the ground wire to the vertical pole ground with a grounding connector, compression type. Where the housing is not attached to the power pole, the ground wire shall be buried to a depth of 12 inches.

On Page 12, add the following to the BM61 description:

The depth of the hole below the surface of the ground shall be limited to a depth of eight (8) feet or less, except where shown otherwise on the construction drawings.

On Page 12, add the following to the BM62 description:

BM62 - Underground Non-Pipe Crossing Assembly Unit - Consists of the labor to provide a hole in soil one (1) foot in length by the directional bore method only, not to exceed 3 inches in diameter, for accommodating cables therein. Contractor to be compensated for cable(s) under their appropriate assembly unit designations.


**ATTACHMENT C**

**(NOT APPLICABLE FOR THIS CONTRACT)**

**ATTACHMENT H****LIST OF SPECIAL ASSEMBLY UNIT DRAWINGS  
AND SPECIAL GUIDE DRAWINGS**

(NOTE: Engineer will indicate by listing below the special assembly unit drawings and special guide drawings which have been prepared. These drawings are considered to be a part of this Contract.)

<u>Drawing</u>	<u>Page</u>
<b>BM2-BM2A</b>	<b>H1</b>
<b>902-A</b>	<b>H2</b>
<b>910</b>	<b>H3</b>
<b>975</b>	<b>H4</b>
<b>976</b>	<b>H5</b>
<b>991</b>	<b>H6</b>




## Notes

- ①. A bare #6 AWG ground wire shall be connected to vertical pole ground wire of multigrounded power system neutral or pole ground assembly (PM2). If a multigrounded power system neutral is present on the pole but there is no vertical pole ground wire, sufficient length of #6 AWG copper ground wire shall be left coiled and taped to permit it to be extended up the pole and connected to the multigrounded neutral by a representative of the power company.
- ②. The use of an auxiliary grounding connector, when required, shall be field installed within the housing in accordance with the housing manufacturer's instructions.
- ③. The bonding bracket shall be installed in accordance with the housing manufacturer's instructions.

ITEM	MATERIAL	REQ'D	ITEM	MATERIAL	REQ'D
*nq	Wire, ground, bare #6 AWG	as req'd	*nq	Wire, ground, bare	as req'd
	tinned copper			#5 AWG	
oi	Rod, galv'd (size & length as req'd)	1			
me	Connector, ground	2			
aj	Clamp, ground rod	1			

**RURAL TELEPHONE CONSTRUCTION PRACTICES**  
**GROUND WIRE ASSEMBLY, BURIED PLANT**

Scale: NTS	January 1988
	BM2 — BM2A



Notes:



- ① The in and out laterals to the buried plant housings shall be located in the same trench.
- ② The radius of bend of the cable or wire shall not be less than 10 times the diameter of the cable or wire.

RURAL TELEPHONE CONSTRUCTION PRACTICES  
LATERAL RUNS TO BURIED PLANT HOUSINGS




Scale: NTS

September 1982

902-A



ITEM	MATERIAL	NUMBER REQUIRED
ps	Sealer, housing	As required
—	Gravel, pea	As required
RURAL TELEPHONE CONSTRUCTION PRACTICES		
RODENT PROTECTION FOR BURIED PLANT HOUSINGS		
Scale: NTS		January 1988
		910



**Note:** Buried wire and/or cable shall be placed as shown above.

D = Specified cable depth for any cable per contract.

D+12 = Depth required to cross ditches for any cable per contract.

## RURAL TELEPHONE CONSTRUCTION PRACTICES


### BURIED PLANT UNDER DITCHES

**SCALE NTS**

DISK FILE REDBOOK HYDROSL DICHOROS

**JANUARY 1985**

075

Notes:


- ① Place cable on undisturbed soil at bottom of trench.
- ② The radius of bend of the cable at the base of the housing should not be less than 10 times the diameter of the cable and wire.
- ③ The stake of the housing shall be driven into undisturbed soil to a depth of approximately 12 inches.
- ④ The ground level inside the ground line cover plate should not be less than 1-inch above the outside ground level.

RURAL TELEPHONE CONSTRUCTION PRACTICES  
HOUSING INSTALLATION DETAILS

Scale: NTS


January 1988

976



**Method #1: FIRST CHOICE TO BE USED WHEN OBSTRUCTIONS AND TERRAIN CONDITIONS PERMIT.**

\*If terrain conditions are suitable, the cable or wire may be plowed around the culvert to a minimum depth of . If plowing to a depth of is not practicable, the cable or wire shall be trenched in place to a minimum depth of



**Method #2: SECOND CHOICE TO BE USED WHEN METHOD #1 IS NOT FEASIBLE.**

\*The cable or wire located within 15 feet of the culvert shall be placed to a minimum depth of . There is no requirement for separation between the cable or wire and the end of the culvert or bridge.

This drawing is intended to show the method of placing plant around bridges or culverts.

RURAL TELEPHONE CONSTRUCTION PRACTICES  
ROUTING BURIED PLANT AROUND CULVERTS

SCALE: NTS

May 11, 1988

991

## ATTACHMENT I

NRUS Form 798		LIST OF OWNER'S MATERIALS ON HAND			
ITEM	DESCRIPTION OF MATERIAL	CATALOG NUMBER	QUANTITY	UNIT PRICE	EXTENDED PRICE
1	BD4C	UPCBD4G	20		
2	BD7C	UPCBD7G	5		
3	INNERDUCT		6,000'		
4	INNERDUCT COUPLER		24		
5	INNERDUCT PLUGS		12		
6	GROUND RODS / MISC	625B13MX	20		
7	GROUND WIRE		315'		
8	BFC 200-22	200 PAIR COPPER	4,000'		
9	BFC 300-22	300 PAIR COPPER	8,750'		
10	BFC 400-22	400 PAIR COPPER	1,750'		
11	4" DUCT (INCLUDING GLUE)		860'		
12	4", 90 DEGREE BEND (15')		10		
13	4", 45 DEGREE BEND (9')		7		
14	4" DUCT PLUGS		16		
15	MANHOLE		1		
16	FRAME AND COVER		1		
				TOTAL	

3

ABOVE MATERIALS ARE LOCATED AT : ALHAMBRA-GRANTFORK TELEPHONE COMPANY, ALHAMBRA, ILLINOIS

\*Item corresponds with item in list of materials in construction drawings.

**ATTACHMENT J****SCHEDULE OF ACCEPTANCE TESTS AND MEASUREMENTS**

Description of Test or Measurement	Test or Measurement			Participants		
	Subscriber Loop Plant		Trunk Plant	Owner	Engineer	Contractor
	Dist. Pairs	Feeder Pairs and Fibers				
Shield Continuity	X	X	X	P		
Conductor Continuity	X*	X	X	P		
Conductor Insulation Resistance	X*	X	X	P		
DC Loop Resistance						
DC Loop Resistance Unbalance						
VF Insertion Loss						
Line Noise						
Loop Measurements (Loop Checking)						
Two-Man Structural Return Loss			NA			
One-Man Open Circuit Measurements						
Loop and Station Tests			NA			
Paystation Line Tests			NA			
Cable Insertion Loss at Carrier Frequencies						
Shield Ground for Single Jacketed Cables	X	X	X	P		
Fiber-OTDR Test		X				
C. O. Ground Measurement				P		

Engineer to check ☒ optional tests to be made.

X - These are standard tests and measurements required on facilities as designated by the Engineer, constructed or installed under this contract.

NA - Not Applicable

\* - These test will not be required on distribution pairs not cross-connected to feeder pairs at time of acceptance testing.

P - Indicates participation in conducting acceptance tests and measurements.



## HARTFORD CONCRETE PRODUCTS, INC.

"AN EMPLOYEE OWNED CORPORATION"

1400 NORTH WABASH AVENUE • P.O. BOX 660  
HARTFORD CITY, INDIANA 47348  
PHONE: 765 348-3506 FAX: 765-348-3121

SCHED. SHIP DATE  
WEEK OF

PAGE NO.

SALED ORDER NO.

CANCELLATION DATE

CUST. NO.

1

53142 5/6/01

ALH01

## SALES ORDER

S  
O  
L  
D  
T  
O  
Alhambra-Grantfork Telephone  
114 Wall Street  
PO Box 207  
Alhambra, IL 62001  
AL WILKENTING 618-488-2165

S  
H  
I  
P  
T  
O  
Alhambra-Grantfork Telephone  
Alhambra, IL 62001  
FAX 618-488-2121

ORDER DATE	PURCHASE ORDER NO.	SHIP VIA	F.O.B.	TERMS
02/05/2001	20501A	Our Truck		Pending Credit
BUYER	DATE REQUESTED	LOCATION	SALESPERSON	TERRITORY
	03/30/2001	WHSE	Phil Hall	Illinois

ITEM NO. BIN LOCATION NO.	DESCRIPTION	QUANTITY ORDERED	QUANTITY BACK ORD.	QUANTITY SHIPPED	UNIT PRICE	EXTENSION	TAX
CA-MH-10-092-T	M/H 8X4X6 J w/ 32 TERM	1			1,562.00	1,562.00	
HP-MH-20-541	HARDWARE PKG FOR 8X4X6 J	1			185.00	185.00	
F4196E	FRAME & COVER, TELEPHONE, 30", W/ PENT HEAD SECURITY BOLTS #1825	1			475.00	475.00	
TO-MH-26-101	HOOK & WRENCH ASSEMBLY	1			48.50	48.50	
PFC	FREIGHT CHARGE	1			1,200.00	1,200.00	

THIS IS NOT A BILL  
DO NOT PAY

FROM : UTILITY CONTRACTING CO

FAX NO. : 5736367540  
JUL 11 1 01 0000 0000

APR 11 2001 02:09PM P2  
0001 11 3001 03:00PM P2

SUBTOTAL

3,470.50

SALES ORDER NO.  
53142

3,470.50

TOTAL ORDER  
VALUE

ORIGINAL

04/17/01 15:46 FAX 6184882123

Alhambra Tel.Co. --- Gary Smith

031

FROM : UTILITY CONTRACTING CO

FAX NO. : 5736367540

Apr. 11 2001 02:09PM P2



## UTILITY CONTRACTING COMPANY

5000 Rte Hwy 50 West  
Jefferson City, Missouri 63109-0315  
(573) 636-8088

**RID QUOTE**  
Alhambra Grantfork Telephone Co.

Job Location:  
Grantfork, IL

Job Description:  
Splice Cable

HC-1  
FM-21

\$1000@  
1@

\$ 2.00  
\$900.00

\$10,200.00  
\$ 900.00

\$11,100.00

Sign below if quote accepted and return original.

Harry Harrison  
Harry Harrison

Alvin Wilkening  
Accepted By

I think there may be fewer than 5100 el

4-17-01